VENKATESH
IAAP Certified Accessibility Professional
WCAG 2.1 Level A & AA Conformance Audits
+91 90320 30021 | cviaapaudit@gmail.com

IAAP
Member No.
IAAP-032267

WEBSITE ACCESSIBILITY AUDIT REPORT

PREPARED FOR

Mr. Piyush Pal

infeelstrade.com

ACR-133 | 27 July 2026 | Digital Accessibility Audit

Regulatory Context

Compliance with SEBI circular: “Compliance Guidelines for Digital Accessibility under the Rights of Persons with Disabilities Act, 2016 and Rules made thereunder - Mandatory Compliance by All Regulated Entities”

(SEBI/HO/ITD-1/ITD VIAP/P/CIR/2025/111, dated 31-July-2025)

1. Report Details

Client	PIYUSH PAL
Audit Type	Digital Accessibility Audit
Standard	Web Content Accessibility Guidelines (WCAG) 2.1- Level A and Level AA
Regulatory Context	SEBI/HO/ITD-1/ITD VIAP/P/CIR/2025/111 dated 31-July-2025 - Mandatory Compliance under RPwD Act, 2016
Website Audited	https://infeelstrade.com/
Audit Date	28 July 2026
Report Date	28 July 2026
Report Reference	ACR-133
Audited By	Venkatesh - IAAP Certified Accessibility Professional (IAAP-032267)

2. Objective of the Audit

The objective of this audit was to assess the accessibility of the audited website against the Web Content Accessibility Guidelines (WCAG) 2.1 Level A and Level AA. The audit aims to:

- Identify accessibility barriers affecting users with disabilities
- Evaluate conformance with applicable WCAG 2.1 Level A and Level AA success criteria
- Provide structured observations to enable remediation and compliance planning

3. Scope of the Audit

3.1 In Scope

- Publicly accessible webpages of the website
- Navigation menus, links, images, forms, interactive components, and content structure
- Pages tested: Home | About us | Services | Investor Charter | Complaint Board | Contact us | Disclosure | Terms & Conditions | Disclaimer | Grievance Redressal | Refund Policy | Privacy Policy | MITC Research Analyst
- All publicly accessible page content, navigation structures, images, links, and interactive elements on the tested pages were included in scope.

3.2 Out of Scope

- Third-party content or external platforms not controlled by the website owner
- Backend systems or mobile applications (unless explicitly stated)
- Backend systems, server-side processing, and any third-party external platforms are outside the scope of this audit. No assessment of those systems has been made and no conformance conclusion is expressed in relation to them.
- Third-party components: Any third-party tools, scripts, or embedded components on the site are out of scope. Content delivered via third-party components was assessed at the rendered user interface layer only. The underlying infrastructure and external platforms are outside the scope of this audit. No conformance determination has been made in respect of those third-party components beyond what is observable at the rendered page level.

3.3 Evaluation Basis

A representative sample of pages covering key templates, components, and user flows was evaluated for conformance with WCAG 2.1 Level A and AA.

4. Audit Methodology

The audit was conducted using a combination of automated, manual, and functional testing techniques, including:

- Automated scanning: axe DevTools 4.11.1, WAVE (WebAIM), Google Chrome Lighthouse
- Manual keyboard-only navigation across all tested pages
- Structural review: HeadingsMap (Chrome extension), W3C HTML Validator (validator.w3.org)
- Colour contrast analysis: WCAG Colour Contrast Checker, Chrome DevTools colour picker, WebAIM Contrast Checker
- Screen reader testing: NVDA 2024.1 with Google Chrome and Firefox on Windows 11 and VoiceOver on iOS
- DOM inspection: Chrome DevTools Elements panel, Chrome Accessibility Inspector

> **Note:** Automated tools alone cannot detect all accessibility issues; manual verification and screen reader testing formed a critical component of this assessment.

5. WCAG Conformance Levels Evaluated

The website was evaluated against the following WCAG conformance levels:

- WCAG 2.1 Level A
- WCAG 2.1 Level AA

As per WCAG conformance requirements, all applicable Level A and Level AA success criteria must be satisfied to claim Level AA conformance.

6. Summary of Findings

> **This audit identified 8 areas of non-conformance - 4 at Level A and 4 at Level AA.** Addressing these will improve the experience for users who rely on assistive technologies such as screen readers, keyboard navigation, and alternative input methods.

Severity Key

Each non-conformance is rated by its impact on users with disabilities:

- **High -** Severely impairs or blocks access; no practical workaround available
- **Medium -**Causes significant difficulty; partial workaround may exist
- **Low -** Minor inconvenience; workaround is readily available

7. Detailed Findings and Observations

Detailed findings, observations, pass/fail status, and supporting notes are documented in the Accessibility Audit Observation Workbook (Excel) provided with this report.

Screenshots corresponding to each identified accessibility issue are provided in the enclosed screenshots folder. Each screenshot is mapped directly to the relevant row in the workbook.

The workbook includes:

- WCAG 2.1 success criterion references (Level A and Level AA)
- Pass / Fail / Not Applicable classification for all tested success criteria
- Page URLs affected for each finding
- Description of identified accessibility issues

- Screenshot references mapped to each finding
- Recommendations to assist remediation efforts

To avoid duplication and ensure traceability, detailed technical findings are not repeated within this report.

8. Recommendations and Remediation Guidance

Specific remediation guidance corresponding to each identified non-conformance is provided within the enclosed Remediation Guidance Notes document (ACR-133-Infeelstrade-Remediation-Guidance.docx) and the Excel workbook, both mapped directly to the relevant WCAG 2.1 success criteria.

9. Additional Observations

- **No Accessibility Statement Found:** No accessibility statement was found on the website, in addition to the missing site map already recorded as a failure under SC 2.4.5 (Multiple Ways). It is recommended to create and publish an accessibility statement, linked from the footer of every page, so users can understand the site's accessibility commitments and how to report barriers.
- **Decorative Emoji/Icons Given Alt Text:** Multiple decorative emoji-style icons — green checkmark icons and loudspeaker/star icons used across the regulatory and disclosure pages — have been assigned alt text, causing screen readers to announce them unnecessarily. It is recommended to disable these decorative icons from assistive technology using aria-hidden="true" instead of alt text.

10. Accessibility Features Observations

During the audit, the following enhanced accessibility features were noted as beneficial improvements. These are not mandatory under WCAG 2.1 Level A or AA but are recommended as best practice:

- **Font Size Adjustment:** providing controls to adjust text size helps users with visual impairments read content comfortably.
- **High Contrast / Theme Mode:** a high-contrast or dark/light theme switch supports users with low vision or colour sensitivity.
- **Search Functionality:** an accessible search feature allows users to quickly locate information, reducing navigation burden.
- **Sitemap Availability:** consider adding a linked HTML sitemap in the footer for direct user access and improved discoverability. Verify an XML sitemap is accessible at /sitemap.xml.

11. Documents Forming Part of This Audit

- Accessibility Audit Report - ACR-133 (this document)
- Accessibility Audit Observation Workbook (Excel) - ACR-133 - detailed findings for all tested success criteria
- Remediation Guidance Notes - ACR-133-Infeelstrade-Remediation-Guidance.docx
- Screenshots Folder - ACR-133 Screenshots mapped to each identified finding by issue

12. Compliance Statement

Based on the findings recorded in the enclosed workbook, the audited website does not conform to WCAG 2.1 Level AA requirements as of 27 July 2026. This conclusion is based on the representative sample of pages and components evaluated during the audit.

13. Limitations and Disclaimer

- This report presents an independent assessment of the website against WCAG 2.1 Level A and Level AA success criteria, as observed on the date of audit.

- Any future content updates, design changes, plugin updates, or technical modifications may introduce new accessibility issues and should be subjected to re-evaluation.
- This report does not constitute a legal certification of compliance.
- Ultimate responsibility for legal compliance, implementation of remediation measures, and ongoing accessibility maintenance remains with the website owner.
- The remediation suggestions provided in this audit are for guidance only. The site administrator and developer should adapt solutions appropriately to the platform, active theme, and any installed components.

14. Auditor Declaration

I confirm that this accessibility audit was conducted independently and objectively, in accordance with WCAG 2.1 Level A and Level AA guidelines and applicable digital accessibility best practices.

SIGNATURE
Venkatesh Chimakurthy
Digitally signed by Venkatesh Chimakurthy
Date: 2026.07.28 14:53:56 +05'30'

Venkatesh
IAAP Certified Accessibility Professional
IAAP Member No.: IAAP-032267
Date: 28 July 2026